

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time [NPIC Web site: www.npic.orst.edu].

PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Keep away from heat or open flame.

This product will not harm most surfaces: including stainless steel, aluminum, other hard and soft metals, sealed quartz or other solid man-made counter top materials, most plastics, fiberglass, vinyl, nylon, and other non-porous upholstery materials used in a medical or veterinary or dental environment, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Not recommended for use on acrylic plastics or coated optical surfaces. Do not use on unpainted wood, or leather. Not for use on people or pets.

No warranty, either expressed or implied, is given to the usage contrary to the instructions given herein.



This product is intended for use on hard non-porous surfaces in:

Hospitals and other Institutional Acute Care and Long Term Healthcare Facilities, Ambulatory Care Centers, Medical and Dental Offices. Airports, Athletic Facilities, Gyms, Health Clubs, Transportation Terminals, Vehicles, Aircraft. Schools, Childcare Facilities, Daycare Centers, and Nurseries. Libraries, Business Offices and Manufacturing facilities. Police/Fire/EMS Facilities and Vehicles. Government Offices. Military Bases, Facilities, Vehicles and Aircraft. Funeral Homes and Mortuaries. Households, Homes, Residences and Bathrooms. Hospitality and Lodging Establishments, and Cruise Ships. Institutional Restrooms. Animal Housing/Holding Facilities. Animal Hospitals, Animal Life Science Laboratories, Animal Transportation Vehicles, Breeding Establishments, Grooming Establishments, Kennels, Pet Shops, Tack Shops, Veterinary Clinics and Zoos.

Veterinary Clinics, Animal Life Science Laboratories, Pet Shops

Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls, and surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Wet surfaces for 1 minute. Immerse all handling and restraining equipment as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, vehicles, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed troughs, racks and other feeding and watering appliances with soap or detergent, then rinse with potable water before reuse.

Sold by **Neutron Industries**

7107 N Black Canyon Hwy • Phoenix, AZ 85021

www.neutronindustries.com 800-421-8481

© Copyright 2022 22N02 128618LBL

NEUTRON
CLEAN SMARTER. SMELL BETTER.



SURFACE DEFENSE
ALCOHOL QUAT
DISINFECTING WIPES

- **1-Minute Disinfection**
- **Antimicrobial Wipe**
- **One-step cleaning and disinfection when used according to disinfection instructions**

Active Ingredients:

Ethyl Alcohol	72.50 %
Didecyl Dimethyl Ammonium Chloride	0.33 %
OTHER INGREDIENTS*	27.17 %
TOTAL	100.00 %

*Does not include the weight of the dry wipes.

EPA Reg. No. 88494-4-42666

EPA Est. No. 98127-FL-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for Precautionary Statements.

Net Wt: 1 lb. 8 oz.
160 Pre-Saturated Wipes 6.0" x 6.75"

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces.

***VIRUCIDAL AGAINST THE FOLLOWING ORGANISMS IN ONE MINUTE:**

This product is an effective virucide on hard, non-porous surfaces, in the presence of an organic load, against Adenovirus type 5, Avian Influenza A Virus, Cytomegalovirus, Enterovirus EV-D68, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Human Coronavirus, Human Immunodeficiency Virus (HIV-1), Influenza Virus type A2, Influenza B, Norovirus, Poliovirus serotype 1, Respiratory Syncytial Virus, Rhinovirus, Rotavirus Strain WA, and Vaccinia virus, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus, and Hepatitis C Virus. **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV FOR SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS. PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Allow surface to remain wet for 1 full minute. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

BACTERICIDAL AGAINST THE FOLLOWING ORGANISMS IN 1 MINUTE: DRUG RESISTANT AND MULTI-DRUG RESISTANT BACTERIA This This product is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against Acinetobacter baumannii – Multi-Drug resistant, Carbapenem resistant Enterobacter cloacae (CRE) (KPC), Carbapenem resistant Enterobacter cloacae (CRE) (New Delhi), Enterococcus faecium – Vancomycin resistant (VRE), Escherichia coli – ESBL Producing, Klebsiella pneumoniae – ESBL Producing, Staphylococcus aureus – Methicillin resistant (MRSA), Staphylococcus aureus – Vancomycin resistant (VRSA), and Staphylococcus aureus Panel – Vancomycin intermediate (VISA), when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. **BACTERIA** This product is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against Bordetella pertussis, Burkholderia cepacia, Campylobacter jejuni, Enterobacter aerogenes, Escherichia coli (E. coli) O157:H7, Klebsiella pneumoniae, Legionella pneumophila, Listeria monocytogenes, Proteus vulgaris, Pseudomonas aeruginosa, Salmonella enterica (Salmonella), Shigella dysenteriae, Staphylococcus aureus, Streptococcus pyogenes (Strep), and Streptococcus pneumoniae, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. **TUBERCULOCIDAL:** This product is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against Mycobacterium bovis, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. **FUNGICIDAL:** This product is an effective fungicide on hard non-porous surfaces against Trichophyton interdigitale (causative agent of Athlete's Foot Fungus), when used as directed, and Candida albicans, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry. **ANIMAL PATHOGENS:** This product is an effective disinfectant on hard non-porous surfaces against Avian Influenza A Virus, Bordetella bronchiseptica, Bovine Diarrhea Virus, Canine distemper Virus, Canine parvovirus, Duck Hepatitis B Virus, Feline calicivirus, and Feline leukemia Virus.

CLEANING: Use one or more wipes, as necessary, to wet surface sufficiently and to thoroughly clean the surface.

DISINFECTING: To disinfect hard, non-porous surfaces, use one or more wipes, as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one minute to achieve complete disinfection of all pathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry.

DISPENSING INSTRUCTIONS

To Dispense Wipes: Open lid, remove entire cover, remove and discard seal. From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE, VIRUCIDE, BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold. **PESTICIDE DISPOSAL:** Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.