

Open Here

Product: #128608



# Quick DEFENSE™ PEROXIDE RTU DISINFECTANT

**One-Step Ready to Use Disinfectant**

**Disinfectant – Cleaner – Mildewstat – Virucide\* - Deodorizer**

**For Hospitals, Institutional,  
Commercial and Industrial Use**

**Active ingredient:**

Hydrogen peroxide .....	1.22%
Other ingredients: .....	98.78%
<b>Total .....</b>	<b>100.00%</b>

### KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 6836-385 -70799

EPA Est. No. 70799-OH-2

**Manufactured by:**

**State Industrial Products**  
5915 Landerbrook Drive  
Mayfield Heights, OH 44124  
To Order Call: 1-866-747-2229

**NET CONTENTS: 1 U.S. Quart**

- Provides hospital disinfection in 3 minutes
- Convenient 1 minute sanitizer<sup>3</sup>
- Bleach Free

Quick Defense Peroxide RTU Disinfectant is a Hospital Disinfectant, tested using the current AOAC Germicidal Spray Test method and to the ASTM Virucidal test method for disinfection on inanimate surfaces.

Quick Defense Peroxide RTU Disinfectant is effective as a disinfectant against:

Bacteria: Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Enterobacter aerogenes, Escherichia coli, Klebsiella pneumoniae, Methicillin Resistant Staphylococcus aureus

Viruses\*: \*Herpes Simplex Type 2, \*HIV-1, \*Influenza A/Hong Kong, \*Norovirus

Animal Viruses\*: Feline Calicivirus

Quick Defense Peroxide RTU Disinfectant is a sanitizer for hard, non-porous kitchen, bathroom non-food contact surfaces: Enterobacter aerogenes, Staphylococcus aureus

**Use Quick Defense Peroxide Disinfectant on hard, non-porous surfaces in:** Bathrooms, Kitchens, Clinics, Dental offices, Health Care Facilities, Hospitals, Medical Offices, Medical Related Facilities, Nursing homes, Sick Rooms, Bars, Cafeterias, Convenience stores, Institutional kitchens, Restaurants, Athletic facilities, Barber shops, Business and office buildings, Camp grounds, Colleges, Correctional facilities, Dressing rooms, Exercise facilities, Factories, Hotels, Institutional facilities, Institutions, Locker rooms, Motels, Playground Equipment, Prisons, Public facilities, Public rest rooms, Schools, Shower and bath areas, Airplanes, Airports, Ambulances, Boats, Buses, Campers, Cars, Emergency vehicles, Mobile homes, Railcars, Taxis, Trailers, Trains, Transportation terminals, Trucks, Ships, Day care centers, Nurseries.

**Use Quick Defense Peroxide Disinfectant on washable hard, non-porous, non-food contact surfaces of:** Exteriors of Appliances, Bathroom fixtures, Bathtubs, Cabinets, Cages, Chairs, Coils and drain pans of air conditioning and refrigeration equipment and heat pumps<sup>4</sup>, Conductive flooring, Counters, Countertop laminates, Desks, Doorknobs, Exhaust Fans, Fiberglass Sinks, Tubs and Showers, Floors, Garbage cans, Highchairs, Litter Boxes, Microwave oven exteriors, Outdoor furniture, Picnic Tables, Refrigerator exteriors, Showers, Shower Stalls, Sinks, Stoves<sup>4</sup>, Tables, Telephones, Toilet exteriors, Toilet bowl exteriors, Toilet bowl surfaces, Tubs, Tiles, glazed, Ultrasonic baths, Urinal exteriors, Walls.

**Non-critical medical equipment surfaces:** Beds, Bed frames, Bed rails, Crutches, Defibrillators, Gurneys, Examining tables, Lamps, Rescue tools, Resuscitators, Medical Scales, Stands, Stretchers, Stethoscopes, Walkers, Wheel chairs.

**Other hard non-porous surfaces made of:** Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, Laminated Surfaces, Metal, Plastic, Sealed granite, Sealed limestone, Sealed marble, Sealed slate, Sealed stone, Sealed terra cotta, Sealed terrazzo, Stainless steel, Upholstery, vinyl and plastic, Woodwork, finished.

<sup>1</sup>Hard, non-porous surfaces

<sup>3</sup>Non-food contact surfaces

<sup>4</sup>Use when surface is at room temperature

HYDROGEN PEROXIDE READY-TO-USE DISINFECTANT

www.stateindustrial.com

**Other hard non-porous surfaces made of:** Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, Laminated Surfaces, Metal, Plastic (such as polystyrene or polypropylene), Sealed granite, Sealed limestone, Sealed marble, Sealed slate, Sealed stone, Sealed terra cotta, Sealed terrazzo, Stainless steel, Upholstery, vinyl and plastic, Woodwork, finished.

Si no sabes el inglés, solicite instrucciones a su supervisor antes de usar el product.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**TO OPERATE:** Turn nozzle to on position and spray.

#### **GENERAL CLEANING / DEODORIZING DIRECTIONS:**

Apply to soiled area then wipe clean. Repeat for heavily soiled areas.

#### **DISINFECTION / \*VIRUCIDAL DIRECTIONS:**

Spray 6 - 8 inches from surface, until surfaces are thoroughly wet. Do not breathe spray. Treated surfaces must remain wet for 3 minutes. Wipe dry with a clean cloth, sponge, mop or towel, or allow to air dry.

#### **MOLD AND MILDEW CONTROL DIRECTIONS:**

Quick Defense Peroxide RTU Disinfectant effectively inhibits the growth of mold and mildew, and the odors caused by them, when applied to hard, non-porous surfaces. Spray 6 - 8 inches from surface, until surfaces are thoroughly wet. Do not breathe spray. Allow to air dry on surface. Repeat every seven days, or when growth returns.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. (This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.)

#### **NON-ACID TOILET BOWL AND URINAL CLEANER DIRECTIONS:**

Apply Quick Defense Peroxide RTU Disinfectant to exposed surfaces including under the rim with a sprayer. Use a toilet brush to scrub the bowl. Repeat and allow to stand for 1 minute, then flush.

**\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES<sup>1</sup> / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings, or other settings, in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1.

#### **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**PERSONAL PROTECTION:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of Quick Defense Peroxide RTU Disinfectant.

**CONTACT TIME:** Leave surface wet for 3 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

**TO SANITIZE AND DEODORIZE NON-FOOD CONTACT SURFACES:** Spray Quick Defense Peroxide RTU Disinfectant until thoroughly wet. Treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge, mop or towel, or allow to air dry. For heavily soiled areas, pre-cleaning is required.

**VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS / VIRUCIDAL \* DISINFECTION DIRECTIONS:** For cleaning and disinfecting hard, non-porous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces by spraying with Quick Defense Peroxide RTU Disinfectant and allow them to remain wet for 3 minutes. Spray all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Wipe or allow to air dry. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

#### **FARM PREMISE USE:**

Remove all animals and feed from premises, vehicles, coops, crates and other enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces by spraying with Quick Defense Peroxide RTU Disinfectant and allow them to remain wet for 3 minutes. Spray all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse. Wipe or allow to air dry. Ventilate treated buildings, vehicles, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried.

#### **VEHICLES:**

Wash all vehicle surfaces including mats, crates, cabs and wheels with water and soap or detergent. Saturate all surfaces by spraying with Quick Defense Peroxide RTU Disinfectant and allow them to remain wet for 3 minutes. Then allow to air dry.

#### **DRESSING PLANT DISINFECTANT DIRECTIONS:**

Use to disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect all rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all heavy soils prior to application. Scrub to loosen all soils. Saturate all surfaces by spraying with Quick Defense Peroxide RTU Disinfectant and allow them to remain wet for 3 minutes, and then thoroughly rinse with potable water before operations are resumed.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container.

Triple rinse. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.